

Inflammatory Breast Cancer

Key Points

- Inflammatory breast cancer is an uncommon type of breast cancer.
- This disease occurs when cancer cells block the lymph vessels in the skin of the breast, causing the breast to become red, swollen, and warm.
- Inflammatory breast cancer usually grows rapidly and often spreads to other parts of the body.
- Treatment usually starts with chemotherapy, generally followed by surgery and/or radiation.

Inflammatory breast cancer is an uncommon type of breast cancer in which breast cancer cells block the lymph vessels in the skin of the breast. This blockage may cause the breast to become red, swollen, and warm. The skin of the breast may also appear pink, purple, or bruised, and it may have ridges or appear pitted, like the skin of an orange (called *peau d'orange*). These changes often occur quickly over a period of weeks. Another possible sign of this type of breast cancer is swollen lymph nodes under the arm, above the collarbone, or in both places. Often, a tumor cannot be felt, and may not be seen on a mammogram. The diagnosis of inflammatory breast cancer is based on the results of the biopsy and the doctor's clinical judgment.

Inflammatory breast cancer generally grows rapidly, and the cancer cells often spread to

other parts of the body. A woman with inflammatory breast cancer usually has local treatment to

remove or destroy the cancer in the breast and systemic treatment to control or kill cancer cells

that may have spread to other parts of the body. Local treatment affects only cells in the tumor

and the area close to it; systemic treatment affects cells throughout the body. The local treatment

may be surgery and/or radiation therapy to the breast and underarm. The systemic treatment may

be chemotherapy (anticancer drugs), hormonal therapy (drugs that interfere with the effects of

the female hormone estrogen), or both. Systemic treatment is generally given before surgery

and/or radiation therapy. In some cases, local treatment may be followed by additional systemic

treatment with hormonal therapy, chemotherapy, or both. Some women also may have

biological therapy (which stimulates the immune system to fight the cancer).

Researchers continue to study the effectiveness of biological therapy, new chemotherapy

and hormonal therapy, and new combinations of chemotherapy and hormonal therapy.

Information about ongoing clinical trials (research studies) is available from the Cancer

Information Service (see below), or from the clinical trials page of the National Cancer

Institute's (NCI) Cancer.gov Web site at http://cancer.gov/clinical_trials on the Internet.

###

Sources of National Cancer Institute Information

Cancer Information Service

Toll-free: 1–800–4–CANCER (1–800–422–6237)

TTY (for deaf and hard of hearing callers): 1–800–332–8615

6.2 5/6/03

NCI Online

Internet

Use http://cancer.gov to reach the NCI's Web site.

LiveHelp

Cancer Information Specialists offer online assistance through the *LiveHelp* link on the NCI's Web site.

This fact sheet was reviewed on 5/6/03